

Index of TAG recommendations

Generic name	Indication	BNF class	Traffic light
(Typical) Antipsychotic depot injections	Maintenance therapy	4.2.2 (Typical) Antipsychotic depot injections	Green GP prescribable
Abciximab	Prevention of MI during PCTA	2.9 Antiplatelet drugs	Red Hospital only
ACE inhibitors	with Angiotensin-II Receptor Antagonists	2.5.5.1 Angiotensin-converting enzyme inhibitors	Double red Not recommended for routine use
Adalimumab	Moderate to severe rheumatoid arthritis	10.1.3 Drugs which suppress the rheumatic disease process	Red Hospital only
Alfacalcidol	Preparation for hyperparathyroidectomy	9.6.4 Vitamin D	Red Hospital only
Amiodarone	Supraventricular and ventricular arrhythmias	2.3.2 Drugs for arrhythmias	Green GP prescribable
Anagrelide	Thrombocythaemia	Not listed	Red Hospital only
Anakinra		10.1.3 Drugs which suppress the rheumatic disease process	Double red Not recommended for routine use
Anastrozole	Breast cancer	8.3.4 Hormone antagonists	Amber Option for shared care
Angiotensin-II receptor antagonists	with ACE inhibitors	2.5.5.2 Angiotensin-II receptor antagonists	Double red Not recommended for routine use
Antibiotics - intravenous	Cystic fibrosis treatment at home	5.1 Antibacterial drugs	Red Hospital only
Antibiotics - intravenous	Cystic fibrosis treatment at home	5.1 Antibacterial drugs	Special Special contract
Anticoagulant monitoring self test strips	Anticoagulant self testing		Green GP prescribable
Anti-D immunoglobulin	Prevention of rhesus sensitisation	14.5 Immunoglobulins	Red Hospital only
Aripiprazole	Schizophrenia	4.2.1 Atypical antipsychotic	Red Hospital only
Atomoxetine	Attention deficit hyperactivity disorder	4.4 Drugs used for ADHD	Red Hospital only
Atypical antipsychotics (except clozapine)	See Norfolk guidelines for details	4.2.1 Antipsychotic drugs	Green GP prescribable
Becaplermin	Diabetic ulcers	13.11.7 Preparations for promotion of wound healing	Red Hospital only
Buprenorphine	Opioid dependence	4.10 Drugs used in substance dependence	Amber Option for shared care
Bupropion	Adjunct to smoking cessation	4.10 Drugs used in substance dependence	Green GP prescribable
Ceftriaxone	Cellulitis	5.1.2 Cephalosporins, cephamycins, & other beta-lactams	Red Hospital only
Chlorpropamide	Type 2 diabetes mellitus	6.1.2 Oral antidiabetic drugs	Double red Not recommended for routine use
Ciclosporin	Psoriasis	8.2.2 Corticosteroids and other immunosuppressants	Amber Option for shared care
Ciprofloxacin	Anthrax exposure	5.1.12 Quinolones	Green GP prescribable
Clopidogrel	Prevention of atherosclerotic events	2.9 Anti-platelet drugs	Green GP prescribable
Clopidogrel	Acute Coronary Syndrome without ST-segment elevation (with aspirin)	2.9 Antiplatelet drugs	Green GP prescribable
Clozapine	Schizophrenia	4.2.1 Antipsychotic drugs	Red Hospital only

Index of TAG recommendations

Generic name	Indication	BNF class	Traffic light
COX II Inhibitors	Pain and inflammation in osteoarthritis or rheumatoid arthritis	10.1.1 Non-steroidal anti-inflammatory drugs	Green GP prescribable
Cytotoxic Drugs - Intravenous or intrathecal drugs	Various	8.1 Cytotoxic drugs	Red Hospital only
Docetaxel	Non-small cell lung cancer	8.1.5 Other antineoplastic drugs	Red Hospital only
Docetaxel	Advanced breast cancer	8.1.5 Other antineoplastic drugs	Red Hospital only
Donepezil	Mild to moderate Alzheimer's dementia	4.11 Drugs for dementia	Amber Option for shared care
Dornase alfa	Cystic fibrosis + FVC>40% predicted	3.7 Mucolytics	Amber Option for shared care
Doxycycline	Anthrax exposure	5.1.3 Tetracyclines	Green GP prescribable
Drotrecogin alfa (activated)	Adjunctive treatment of severe sepsis with multiple organ failure	2.11 Blood product	Double red Not recommended for routine use
Efalex	Dyslexia	Not listed	Double red Not recommended for routine use
Efalizumab	Psoriasis	13.5.3 Drugs affecting the immune response	Double red Not recommended for routine use
Enteral nutrition	Various	9.4.2 Enteral nutrition	Green GP prescribable
Enteral nutrition	Various	9.4.2 Enteral nutrition	Special Special contract
Epoprostenol	Pulmonary hypertension	2.8.1 Parenteral anticoagulants	Special Special contract
Epoprostenol	Pulmonary hypertension	2.8.1 Parenteral anticoagulants	Red Hospital only
Epoprostenol	Adult respiratory distress syndrome (ARDS)	2.8.1 Parenteral anticoagulants	Double red Not recommended for routine use
Eptifibatid	Prevention of MI in unstable angina	2.9 Antiplatelet drugs	Red Hospital only
Erythropoietin	Anaemia in renal failure both before and on dialysis.	9.1.3 Drugs in hypoplastic, haemolytic & renal anaemias	Red Hospital only
Erythropoietin (epoetin / darbepoetin)	Treatment of anaemia in cancer	9.1.3 Rx for hypoplastic, haemolytic, & renal anaemias	Red Hospital only
Etanercept	Ankylosing spondylitis	10.1.3 Drugs which suppress the rheumatic disease process	Red Hospital only
Etanercept	Behcet's Disease	10.1.3 Drugs which suppress the rheumatic disease process	Double red Not recommended for routine use
Etanercept	Rheumatoid arthritis	10.1.3 Drugs which suppress the rheumatic process	Red Hospital only
Etanercept	Idiopathic juvenile arthritis	10.1.3 Drugs which suppress the rheumatic process	Red Hospital only
Exemestane	Advanced breast cancer in postmenopausal women in whom anti-estrogen therapy has failed	8.3.4 Hormone antagonists	Green GP prescribable
Ezetimibe and combination products	Adjunct to dietary measures in homozygous familial hypercholesterolaemia and sitosterolaemia	2.12 Lipid-regulating drugs	Green GP prescribable
Ezetimibe and combination products	Adjunct to dietary measures and statin in primary hypercholesterolaemia	2.12 Lipid-regulating drugs	Double red Not recommended for routine use
Factor VIII and IX	Deficiency states	2.11 Antifibrinolytic drugs and haemostatics	Red Hospital only
Fish oils (omega-3 fatty acids)	Treatment of attention deficit hyperactivity disorder (ADHD)	2.12 Fish oils	Double red Not recommended for routine use

Index of TAG recommendations

Generic name	Indication	BNF class	Traffic light
Fludarabine	Chronic B-cell lymphocytic leukaemia	8.1.3 Antimetabolites	Red Hospital only
Fondaparinux sodium	Prophylaxis of venous thromboembolism in those undergoing major orthopaedic surgery of the legs	.2.8.1 Parenteral anticoagulants	Double red Not recommended for routine use
Fosphenytoin sodium	Status epilepticus, seizures with head injury, etc.	4.8.2 Drugs used in status epilepticus	Double red Not recommended for routine use
Gabapentin	Neuropathic pain	4.8.1 Control of epilepsy	Green GP prescribable
Galantamine	Mild to moderate Alzheimer's dementia	4.11 Drugs for dementia	Amber Option for shared care
Ganciclovir	Renal transplantation	5.3 Antiviral drugs	Amber Option for shared care
Gemcitabine	Non-small cell lung carcinoma	8.1.3 Antimetabolites	Red Hospital only
Gemcitabine	Pancreatic cancer	8.1.3 Antimetabolites	Red Hospital only
Glatarimer	Multiple Sclerosis	8.2.4 Other immunomodulating drugs	Red Hospital only
Glibenclamide	Type 2 diabetes mellitus	6.1.2 Oral antidiabetic drugs	Double red Not recommended for routine use
Glycopyrronium bromide	Hyperhidrosis	13.12 Antiperspirants	Green GP prescribable
Goserelin	Prostate cancer	8.3.4 Hormone antagonists	Green GP prescribable
Goserelin	Endometriosis	8.3.4 Hormone antagonists	Green GP prescribable
Goserelin	Preparation for endometrial ablation	8.3.4.2 Prostate cancer and gonadorelin analogues	Red Hospital only
Granulocyte-colony stimulating factor	Neutropenia, progenitor cell transplantation	9.1.6 Drugs used in neutropenia	Red Hospital only
Heparin	Subcutaneous use during pregnancy	2.8.1 Parenteral anticoagulants	Amber Option for shared care
Heparin - Low Molecular Weight	Unstable angina / MI	2.8.1 Parenteral anticoagulants	Red Hospital only
Heparin - Low Molecular Weight	For patients requiring long term anticoagulation in whom warfarin is contraindicated or inappropriate	2.8.1 Parenteral anticoagulant	Amber Option for shared care
Heparin - Low Molecular Weight	DVT (inc. suspected)	2.8.1 Parenteral anticoagulants	Amber Option for shared care
Heparin - Low molecular weight	Prevention of DVT during flights	2.8.1 Parenteral anticoagulants	Double red Not recommended for routine use
HIV/AIDS treatments	HIV infection	5.3 Antiviral drugs	Red Hospital only
Homeopathy	Various	Not included in BNF	Double red Not recommended for routine use
HRT implants	Hormone replacement therapy	6.4.1.1 Oestrogens and HRT	Amber Option for shared care
Hyal G-F 20	Intra-articular injection in osteoarthritis	10.1 Drugs used in rheumatic disease and gout	Double red Not recommended for routine use
Hyaluronate	Intra-articular injection in osteoarthritis	10.1 Drugs used in rheumatic diseases and gout	Double red Not recommended for routine use
Iloprost - nebulised	Pulmonary hypertension	Not listed	Red Hospital only
Iloprost - nebulised	Pulmonary hypertension	Not listed	Special Special contract
Imatinib	Unlicensed indications	8.1.5 Other antineoplastic drugs	Double red Not recommended for routine use
Imatinib	CML	8.1.5 Other antineoplastic drugs	Red Hospital only

Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>	<i>Traffic light</i>
Imatinib	Kit-positive unresectable and /or metastatic GIST	8.1.5 Other antineoplastic drugs	Red Hospital only
Imiglucerase	Gaucher's disease	9.8.1 Drugs used in metabolic disorders	Special Special contract
Imiglucerase	Gaucher's disease	9.8.1 Drugs used in metabolic disorders	Red Hospital only
Immunoglobulins - intravenous	Congenital agammaglobulinaemia	14.5 Immunoglobulins	Red Hospital only
Immunoglobulins - intravenous	Congenital agammaglobulinaemia	14.5 Immunoglobulins	Special Special contract
Infertility drugs	Infertility treatment	6.5.1 Hypothalamic and anterior pituitary hormones etc.	Red Hospital only
Infliximab	Behcet's Disease	10.1.3 Drugs which suppress the rheumatic disease process	Double red Not recommended for routine use
Infliximab	Rheumatoid arthritis	10.1.3 Drugs which suppress the rheumatic process	Red Hospital only
Infliximab	Ankylosing spondilitis	10.1.3 Drugs which suppress the rheumatic disease process	Red Hospital only
Influenza vaccination	Vaccination of non-target patients on the NHS	14.4	Double red Not recommended for routine use
Inhaled steroids	Children who wheeze with a cold	3.2 Corticosteroids	Double red Not recommended for routine use
Insulin	Diabetes	6.1.1 Insulins	Green GP prescribable
Insulin glargine	Diabetes mellitus	6.1.1.2 Long-acting insulin	Green GP prescribable
Insulin pumps	Diabetes	6.1.1 Insulins	Red Hospital only
Interferon alfa	Chronic myelogenous leukaemia	8.2.4 Other immunomodulating drugs	Amber Option for shared care
Interferon alfa	Renal cell carcinoma	8.2.4 Other immunomodulating drugs	Double red Not recommended for routine use
Interferon alfa	In combination with ribavirin for Hepatitis C	8.2.4 Other immunomodulating drugs	Red Hospital only
Interferon alfa	Adjunct to surgery in malignant melanoma	8.2.4 Other immunomodulating drugs	Double red Not recommended for routine use
Interferon beta 1a	Multiple Sclerosis	8.2.4 Other immunomodulating drugs	Red Hospital only
Interferon beta 1b	Multiple Sclerosis	8.2.4 Other immunomodulating drugs	Red Hospital only
Intra-uterine progestogen-only system	Contraception, primary menorrhagia	7.3.2.3 Intra-uterine progestogen-only device	Green GP prescribable
Irinotecan	Colorectal cancer 2nd line	8.1.5 Topoisomerase I inhibitors	Red Hospital only
Iron sorbitol	Iron deficiency anaemia	9.1.1.2 Parenteral iron	Green GP prescribable
Isotretinoin	Acne	13.6.2 Oral preparations for acne	Amber Option for shared care
Lamotrigine	(relapse of) Bipolar Depression (as alternative to, or in addition to lithium)	4.8.1 Control of epilepsy	Amber Option for shared care

Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>	<i>Traffic light</i>
Lanreotide	Carcinoid and other neuroendocrine tumours	8.3.4.3 Somatostatin analogues	Amber Option for shared care
Leflunomide	Rheumatoid arthritis	10.1.3 Drugs which suppress the rheumatic disease process	Amber Option for shared care
Levonorgestrel 750 micrograms	Post-coital contraception	7.3.1 Emergency contraception	Green GP prescribable
Lisuride maleate	Parkinsonism	4.9.1 Dopaminergic drugs used in parkinsonism	Green GP prescribable
Lithium	Treatment and prophylaxis of mania, bipolar disorder, and recurrent depression (see also notes above); aggressive or self-mutilating behaviour	4.2.3 Antimanic drugs	Green GP prescribable
Melatonin	Management of sleep disorders		Red Hospital only
Meloxicam	Osteoarthritis - short-term	10.1.1 Non-steroidal anti-inflammatory drugs	Green GP prescribable
Memantine	Moderate to severe dementia in Alzheimer's Disease	4.11 Drugs for dementia	Double red Not recommended for routine use
Methadone	Substance dependence	4.10 Drugs used in substance dependence	Amber Option for shared care
Methotrexate	Intramuscular use in RA	10.1.3 Drugs which suppress the rheumatic disease process	Amber Option for shared care
Methotrexate tablets	Various - severe psoriasis; malignant disease; rheumatoid arthritis	Drug affecting the immune response	Amber Option for shared care
Methylphenidate	ADHD	4.4 Central nervous system stimulants	Amber Option for shared care
Modafinil	Narcolepsy	4.4 Central nervous system stimulants	Amber Option for shared care
Modafinil	Fatigue in Multiple Sclerosis	4.4 Central nervous system stimulants	Amber Option for shared care
Montelukast	Adults - Steps 3 and 4 of BTS guideline:	3.3.2 Leukotriene receptor antagonists	Green GP prescribable
Montelukast	Prophylaxis of asthma - use in children	3.3.2 Leukotriene receptor antagonists	Green GP prescribable
Moxifloxacin	Respiratory infection	5.1.12 Quinolones	Red Hospital only
Mycophenolate	Dermatology	8.2.1 Antiproliferative immunosuppressants	Double red Not recommended for routine use
Mycophenolate	Immunosuppression	8.2.1 Antiproliferative immunosuppressants	Amber Option for shared care
Nabilone	Pain and spasticity in Multiple Sclerosis	4.6 Drugs used in nausea and vertigo	Double red Not recommended for routine use
Naltrexone	Use of a Low Dose in Multiple Sclerosis	4.10 Drugs used in substance dependence	Double red Not recommended for routine use
Nicotine Replacement Therapy	Smoking cessation	4.10 Drugs used in substance dependence	Green GP prescribable
Octreotide	Carcinoid and other neuroendocrine tumours	8.3.4.3 Somatostatin analogues	Amber Option for shared care
Octreotide	Reducing vomiting in terminal bowel obstruction	8.3.4.3 Somatostatin analogues	Amber Option for shared care
Octreotide - long-acting	Use in a rare cancer	8.3.4.3 Somatostatin analogues	Amber Option for shared care
Olanzapine	Schizophrenia - 1st line	4.2.1 Atypical antipsychotic drugs	Green GP prescribable
Olanzapine	Maintenance in Bipolar Mania	4.2.1 Antipsychotic drugs	Amber Option for shared care

Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>		<i>Traffic light</i>	
Omega-3-acid ethyl esters	Adjunct in lowering triglycerides in secondary prevention of coronary heart disease	2.12	Lipid-regulating drugs (Fish oils)	Double red	Not recommended for routine use
Ondansetron + other 5HT antagonists	Chemotherapy induced nausea	4.6	Drugs used in nausea and vertigo	Red	Hospital only
Orlistat	Obesity	4.5.1	Anti-obesity drugs acting on the GI tract	Green	GP prescribable
Oseltamivir	Prevention and treatment of ILI in at risk people during 'flu season	5.3	Antiviral drugs	Green	GP prescribable
Oxaliplatin	Colorectal cancer	8.1.5	Other antineoplastic drugs	Red	Hospital only
Oxcarbazepine	Epilepsy	4.8.1	Control of epilepsy	Green	GP prescribable
Oxygen	Cluster headaches or migraine	3.6	Oxygen	Double red	Not recommended for routine use
Oxygen	Long-term therapy	3.6	Oxygen	Amber	Option for shared care
Oxygen conserver	For portable oxygen consumption	3.6	Oxygen	Red	Hospital only
Paclitaxel	Advanced breast cancer	8.1.5	Other antineoplastic drugs	Red	Hospital only
Paclitaxel	Ovarian cancer	8.1.5	Other antineoplastic drugs	Red	Hospital only
Paclitaxel	Non-small cell lung cancer	8.1.5	Other antineoplastic drugs	Red	Hospital only
Palivizumab	Prevention of Respiratory Syncytial Virus (RSV) in infants	5.3	Antiviral drugs	Double red	Not recommended for routine use
Peginterferon alfa	Treatment of hepatitis C	8.2.4	Other immunomodulating drugs	Double red	Not recommended for routine use
Pimecrolimus 1%	Acute treatment of mild to moderate atopic eczema (including flares)	13.5.3	Drug affecting the immune response	Red	Hospital only
Pioglitazone	In combination for type 2 diabetes	6.1.2.3	Other antidiabetics	Green	GP prescribable
Progest cream	Hormone replacement therapy		Not listed	Double red	Not recommended for routine use
Proton pump inhibitors	Dyspepsia	1.3.5	Proton pump inhibitors	Green	GP prescribable
Quetiapine	Schizophrenia - 1st line	4.2.1	Atypical antipsychotic drugs	Green	GP prescribable
Raloxifene	Prevention of osteoporosis	6.4.1	Female sex hormones	Green	GP prescribable
Raltitrexed	Colorectal cancer	8.1.3	Antimetabolites	Double red	Not recommended for routine use
Ribavirin	Chronic hepatitis C	5.3	Antiviral drugs	Red	Hospital only
Riluzole	Amyotrophic Lateral Sclerosis (Motor Neurone Disease)	4.9.3	Drugs used in essential tremor, chorea, tics etc.	Red	Hospital only
Risperidone	Attention Deficit Hyperactivity Disorder (ADHD)	4.2.1	Antipsychotic drugs	Green	GP prescribable
Risperidone (Depot)	Schizophrenia and other psychoses in patients tolerant to risperidone by mouth	4.2.2	Antipsychotic depot injections	Red	Hospital only
Rituximab	Follicular non-Hodgkin's lymphoma	8.2.3	Rituximab and alemtuzumab	Red	Hospital only
Rituximab	Aggressive non-Hodgkin's lymphoma	8.2.3	Rituximab and alemtuzumab	Red	Hospital only
Rivastigmine	Mild to moderate Alzheimer's dementia	4.11	Drugs for dementia	Amber	Option for shared care
Ropinirole	Parkinson's Disease	4.9.1	Dopaminergic drugs used in parkinsonism	Green	GP prescribable

Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>	<i>Traffic light</i>
Rosiglitazone	In combination for type 2 diabetes	6.1.2.3 Other antidiabetics	Green GP prescribable
Rosiglitazone / Metformin	Type 2 diabetes mellitus	6.1.2.3 Oral antidiabetic drugs	Green GP prescribable
Salmeterol / Fluticasone combined inhaler	COPD	3.2 (Inhaled) Corticosteroids	Green GP prescribable
Second-line drugs	Rheumatoid arthritis	10.1.3 Drugs which suppress the rheumatic disease process	Amber Option for shared care
Seretide	Prophylactic treatment of asthma	3.2 (Inhaled) Corticosteroids	Green GP prescribable
Sevelamer	Hyperphosphataemia in chronic renal failure in patients on haemodialysis	9.5.2.2 Phosphate-binding agents	Green GP prescribable
Sibutramine	Obesity	4.5.2 Centrally acting appetite suppressants	Green GP prescribable
Sildenafil	Erectile dysfunction - limited categories	7.4.5 Drugs for impotence	Green GP prescribable
Sildenafil	Severe distress from erectile dysfunction seeking treatment on the NHS	7.4.5 Drugs for impotence	Red Hospital only
Silicone gel sheet dressing	Reduce and prevent hypertrophic and keloid scarring	8.1.4 Hydrocolloid dressing	Double red Not recommended for routine use
Somatropin	Growth disturbance in children born small for gestational age	6.5.1 Hypothalamic and anterior pituitary hormones and a	Double red Not recommended for routine use
Somatropin (Growth hormone)	Adults: Profound growth hormone deficiency	6.5.1 Hypothalamic & anterior pituitary hormones etc.	Red Hospital only
Somatropin (Growth hormone)	Children with growth failure	6.5.1 Hypothalamic & anterior pituitary hormones etc.	Red Hospital only
SSRI antidepressants	Use for depression in children	4.3.3 Selective serotonin re-uptake inhibitors	Amber Option for shared care
Statins	Prevention of coronary events in patients with Type II diabetes	2.12 Lipid-regulating drugs	Green GP prescribable
Tacrolimus	Renal transplantation	8.2.2 Corticosteroids and other immunosuppressants	Amber Option for shared care
Tacrolimus 0.03%	Eczema	13.5.3 Affecting immune response for eczema & psoriasis	Amber Option for shared care
Teicoplanin	Intravenous treatment at home	5.1.7 Some other antibacterials	Red Hospital only
Teicoplanin	Intramuscular treatment at home	5.1.7 Some other antibacterials	Green GP prescribable
Temozolomide	Malignant glioma (brain cancer)	8.1.5 Other antineoplastic drugs	Red Hospital only
Teriparatide	Treatment of severe postmenopausal osteoporosis	6.6.1 Drugs affecting bone metabolism	Double red Not recommended for routine use
Testosterone patches	Androgen deficiency	6.4.2 Male sex hormones and antagonists	Green GP prescribable
Tiotropium	Maintenance treatment of Chronic Obstructive Pulmonary Disease	3.1.2 Antimuscarinic bronchodilators	Green GP prescribable
Tirofiban	Prevention of MI in unstable angina	2.9 Antiplatelet drugs	Red Hospital only
Tobramycin (nebulised)	Cystic fibrosis	5.1.4 Aminoglycosides	Amber Option for shared care
Topotecan	Advanced ovarian cancer	8.1.5 Topoisomerase I inhibitors	Red Hospital only

Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>		<i>Traffic light</i>	
Total parenteral nutrition	Various	9.3	Intravenous nutrition	Red	Hospital only
Total parenteral nutrition	Various	9.3	Intravenous nutrition	Special	Special contract
Trastuzumab	Advanced breast cancer	8.1.5	Other antineoplastic drugs	Red	Hospital only
Unlicensed drugs	All		Not listed	Red	Hospital only
Various drugs for erectile dysfunction	Severe distress from erectile dysfunction seeking treatment on the NHS	7.4.5	Drugs for erectile dysfunction	Red	Hospital only
Various drugs for erectile dysfunction	Erectile dysfunction - limited categories of patients	7.4.5	Drugs for impotence	Green	GP prescribable
Vinorelbine	Non-small cell lung cancer	8.1.5	Other antineoplastic drugs	Red	Hospital only
Warfarin	Various	2.8.2	Oral anticoagulants	Amber	Option for shared care
Yasmin	Contraception	7.3.1	Standard strength combined hormonal contraceptive	Double red	Not recommended for routine use
Zanamivir	Treatment of influenza A or B within 48 hrs of onset	5.3	Antiviral drugs	Green	GP prescribable