

## Index of TAG recommendations

Generic name	Indication	BNF class		Traffic light	
<b>Abciximab</b>	Prevention of MI during PCTA	2.9	Antiplatelet drugs	<b>Red</b>	Hospital only
<b>ACE inhibitors</b>	with Angiotensin-II Receptor Antagonists	2.5.5.1	Angiotensin-converting enzyme inhibitors	<b>Double red</b>	Not recommended for routine use
<b>Adalimumab</b>	Moderate to severe rheumatoid arthritis	10.1.3	Drugs which suppress the rheumatic disease process	<b>Red</b>	Hospital only
<b>Alfacalcidol</b>	Preparation for hyperparathyroidectomy	9.6.4	Vitamin D	<b>Red</b>	Hospital only
<b>Amiodarone</b>	Supraventricular and ventricular arrhythmias	2.3.2	Drugs for arrhythmias	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Anagrelide</b>	Thrombocythaemia		Not listed	<b>Red</b>	Hospital only
<b>Anakinra</b>		10.1.3	Drugs which suppress the rheumatic disease process	<b>Double red</b>	Not recommended for routine use
<b>Anastrozole</b>	Breast cancer	8.3.4	Hormone antagonists	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Angiotensin-II receptor antagonists</b>	with ACE inhibitors	2.5.5.2	Angiotensin-II receptor antagonists	<b>Double red</b>	Not recommended for routine use
<b>Antibiotics - intravenous</b>	Cystic fibrosis treatment at home	5.1	Antibacterial drugs	<b>Special</b>	Special contract
<b>Antibiotics - intravenous</b>	Cystic fibrosis treatment at home	5.1	Antibacterial drugs	<b>Amber</b>	Shared care
<b>Anticoagulant monitoring self test strips</b>	Anticoagulant self testing			<b>Amber</b>	Shared care
<b>Anti-D immunoglobulin</b>	Prevention of rhesus sensitisation	14.5	Immunoglobulins	<b>Red</b>	Hospital only
<b>Aripiprazole</b>	Schizophrenia	4.2.1	Atypical antipsychotic	<b>Red</b>	Hospital only
<b>Atomoxetine</b>	Attention deficit hyperactivity disorder	4.4	Drugs used for ADHD	<b>Amber</b>	Shared care
<b>Atypical antipsychotics (except clozapine)</b>	See Norfolk guidelines for details	4.2.1	Antipsychotic drugs	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Basiliximab</b>	Option for induction therapy in the prophylaxis of acute organ rejection in adults undergoing renal transplantation	8.2.2	Corticosteroids and other immunosuppressants	<b>Red</b>	Hospital only
<b>Becaplermin</b>	Diabetic ulcers	13.11.7	Preparations for promotion of wound healing	<b>Red</b>	Hospital only
<b>Bortezomib</b>	myeloma	8.1.5	Other antineoplastic drugs	<b>Double red</b>	Not recommended for routine use
<b>Buprenorphine</b>	Opioid dependence	4.10	Drugs used in substance dependence	<b>Amber</b>	Shared care
<b>Bupropion</b>	Adjunct to smoking cessation	4.10	Drugs used in substance dependence	<b>Double-Green</b>	GP prescribable without restriction
<b>Ceftriaxone</b>	Cellulitis	5.1.2	Cephalosporins, cephamycins, & other beta-lactams	<b>Red</b>	Hospital only
<b>Chlorpropamide</b>	Type 2 diabetes mellitus	6.1.2	Oral antidiabetic drugs	<b>Double red</b>	Not recommended for routine use
<b>Ciclosporin</b>	Psoriasis	8.2.2	Corticosteroids and other immunosuppressants	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Cinacalcet</b>	secondary hyperparathyroidism & parathyroid cancer	9.5.1.2	Hypercalcaemia & hypercalciuria	<b>Double red</b>	Not recommended for routine use

## Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>		<i>Traffic light</i>	
<b>Ciprofloxacin</b>	Anthrax exposure	5.1.12	Quinolones	<b>Double-Green</b>	GP prescribable without restriction
<b>Clopidogrel</b>	Acute Coronary Syndrome without ST-segment elevation (with aspirin)	2.9	Antiplatelet drugs	<b>Double-Green</b>	GP prescribable without restriction
<b>Clopidogrel</b>	Prevention of atherosclerotic events	2.9	Anti-platelet drugs	<b>Double-Green</b>	GP prescribable without restriction
<b>Clozapine</b>	Schizophrenia	4.2.1	Antipsychotic drugs	<b>Red</b>	Hospital only
<b>Corticosteroids (Topical)</b>	Atopic eczema	13.4	Topical corticosteroids	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>COX II Inhibitors</b>	Pain and inflammation in osteoarthritis or rheumatoid arthritis	10.1.1	Non-steroidal anti-inflammatory drugs	<b>Double-Green</b>	GP prescribable without restriction
<b>Cytotoxic Drugs - Intravenous or intrathecal drugs</b>	Various	8.1	Cytotoxic drugs	<b>Red</b>	Hospital only
<b>Daclizumab</b>	Option for induction therapy in the prophylaxis of acute organ rejection in adults undergoing renal transplantation	8.2.2	Corticosteroids and other immunosuppressants	<b>Red</b>	Hospital only
<b>Desferrioxamine mesilate</b>	Iron overload	9.1.3	Drugs used in renal anaemias etc	<b>Special</b>	Special contract
<b>Docetaxel</b>	Advanced breast cancer	8.1.5	Other antineoplastic drugs	<b>Red</b>	Hospital only
<b>Docetaxel</b>	Non-small cell lung cancer	8.1.5	Other antineoplastic drugs	<b>Red</b>	Hospital only
<b>Donepezil</b>	Mild to moderate Alzheimer's dementia	4.11	Drugs for dementia	<b>Amber</b>	Shared care
<b>Dornase alfa</b>	Cystic fibrosis + FVC>40% predicted	3.7	Mucolytics	<b>Amber</b>	Shared care
<b>Doxycycline</b>	Anthrax exposure	5.1.3	Tetracyclines	<b>Double-Green</b>	GP prescribable without restriction
<b>Drotrecogin alfa (activated)</b>	Adjunctive treatment of severe sepsis with multiple organ failure	2.11	Blood product	<b>Red</b>	Hospital only
<b>Duloxetine</b>	Stress urinary incontinence	7.4.2	Drugs for urinary frequency, enuresis and incontn	<b>Red</b>	Hospital only
<b>Efalex</b>	Dyslexia		Not listed	<b>Double red</b>	Not recommended for routine use
<b>Efalizumab</b>	Psoriasis	13.5.3	Drugs affecting the immune response	<b>Double red</b>	Not recommended for routine use
<b>Enteral nutrition</b>	Various	9.4.2	Enteral nutrition	<b>Double-Green</b>	GP prescribable without restriction
<b>Enteral nutrition</b>	Various	9.4.2	Enteral nutrition	<b>Special</b>	Special contract
<b>Eplerenone</b>	Second-line therapy in patients with heart failure who are intolerant to spironolactone due to hormonal side-effects	2.2.3	Second-line aldosterone antagonist	<b>Double-Green</b>	GP prescribable without restriction
<b>Epoprostenol</b>	Pulmonary hypertension	2.8.1	Parenteral anticoagulants	<b>Special</b>	Special contract
<b>Epoprostenol</b>	Adult respiratory distress syndrome (ARDS)	2.8.1	Parenteral anticoagulants	<b>Double red</b>	Not recommended for routine use
<b>Epoprostenol</b>	Pulmonary hypertension	2.8.1	Parenteral anticoagulants	<b>Red</b>	Hospital only
<b>Eptifibatide</b>	Prevention of MI in unstable angina	2.9	Antiplatelet drugs	<b>Red</b>	Hospital only
<b>Erythropoietin</b>	Anaemia in renal failure both before and on dialysis.	9.1.3	Drugs in hypoplastic, haemolytic & renal anaemias	<b>Red</b>	Hospital only

## Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>	<i>Traffic light</i>	
<b>Erythropoietin (epoetin / darbepoetin)</b>	Treatment of anaemia in cancer	9.1.3 Rx for hypoplastic, haemolytic, & renal anaemias	<b>Red</b>	Hospital only
<b>Etanercept</b>	Behcet's Disease	10.1.3 Drugs which suppress the rheumatic disease process	<b>Double red</b>	Not recommended for routine use
<b>Etanercept</b>	Ankylosing spondilitis	10.1.3 Drugs which suppress the rheumatic disease process	<b>Red</b>	Hospital only
<b>Etanercept</b>	Rheumatoid arthritis	10.1.3 Drugs which suppress the rheumatic process	<b>Red</b>	Hospital only
<b>Etanercept</b>	Idiopathic juvenile arthritis	10.1.3 Drugs which suppress the rheumatic process	<b>Red</b>	Hospital only
<b>Exemestane</b>	Advanced breast cancer in postmenopausal women in whom anti-oestrogen therapy has failed	8.3.4 Hormone antagonists	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Ezetimibe (and combination products)</b>	Adjunct in lowering LDL levels in patients with type II diabetes to below 3mmol/l	2.12 Lipid-regulating drugs	<b>Double red</b>	Not recommended for routine use
<b>Ezetimibe and combination products</b>	Adjunct to dietary measures and statin in primary hypercholesterolaemia	2.12 Lipid-regulating drugs	<b>Double red</b>	Not recommended for routine use
<b>Ezetimibe and combination products</b>	Adjunct to dietary measures in homozygous familial hypercholesterolaemia and sitosterolaemia	2.12 Lipid-regulating drugs	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Ezetimibe and combination products</b>	For hypercholesterolaemia in patients where statins are contra-indicated or not tolerated	2.12 Lipid-regulating drugs	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Factor VIII and IX</b>	Deficiency states	2.11 Antifibrinolytic drugs and haemostatics	<b>Red</b>	Hospital only
<b>Fish oils (omega-3 fatty acids)</b>	Treatment of attention deficit hyperactivity disorder (ADHD)	2.12 Fish oils	<b>Double red</b>	Not recommended for routine use
<b>Fludarabine</b>	Chronic B-cell lymphocytic leukaemia	8.1.3 Antimetabolites	<b>Red</b>	Hospital only
<b>Fondaparinux sodium</b>	Prophylaxis of venous thromboembolism in those undergoing major orthopaedic surgery of the legs	.2.8.1 Parenteral anticoagulants	<b>Double red</b>	Not recommended for routine use
<b>Fosphenytoin sodium</b>	Status epilepticus, seizures with head injury, etc.	4.8.2 Drugs used in status epilepticus	<b>Double red</b>	Not recommended for routine use
<b>Gabapentin</b>	Neuropathic pain	4.8.1 Control of epilepsy	<b>Double-Green</b>	GP prescribable without restriction
<b>Galantamine</b>	Mild to moderate Alzheimer's dementia	4.11 Drugs for dementia	<b>Amber</b>	Shared care
<b>Ganciclovir</b>	Renal transplantation	5.3 Antiviral drugs	<b>Amber</b>	Shared care
<b>Gemcitabine</b>	Non-small cell lung carcinoma	8.1.3 Antimetabolites	<b>Red</b>	Hospital only
<b>Gemcitabine</b>	Pancreatic cancer	8.1.3 Antimetabolites	<b>Red</b>	Hospital only
<b>Glatarimer</b>	Multiple Sclerosis	8.2.4 Other immunomodulating drugs	<b>Red</b>	Hospital only
<b>Glibenclamide</b>	Type 2 diabetes mellitus	6.1.2 Oral antidiabetic drugs	<b>Double red</b>	Not recommended for routine use
<b>Glycopyrronium bromide</b>	Hyperhidrosis	13.12 Antiperspirants	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Goserelin</b>	Preparation for endometrial ablation	8.3.4.2 Prostate cancer and gonadorelin analogues	<b>Red</b>	Hospital only
<b>Goserelin</b>	Prostate cancer	8.3.4 Hormone antagonists	<b>Green</b>	GP prescribable at request of Consultant/Specialist

## Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>		<i>Traffic light</i>	
<b>Goserelin</b>	Endometriosis	8.3.4	Hormone antagonists	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Granulocyte-colony stimulating factor</b>	Neutropenia, progenitor cell transplantation	9.1.6	Drugs used in neutropenia	<b>Red</b>	Hospital only
<b>Heparin</b>	Subcutaneous use during pregnancy	2.8.1	Parenteral anticoagulants	<b>Amber</b>	Shared care
<b>Heparin - Low Molecular Weight</b>	DVT (inc. suspected)	2.8.1	Parenteral anticoagulants	<b>Amber</b>	Shared care
<b>Heparin - Low molecular weight</b>	Prevention of DVT during flights	2.8.1	Parenteral anticoagulants	<b>Double red</b>	Not recommended for routine use
<b>Heparin - Low Molecular Weight</b>	For patients requiring long term anticoagulation in whom warfarin is contraindicated or inappropriate	2.8.1	Parenteral anticoagulant	<b>Amber</b>	Shared care
<b>Heparin - Low Molecular Weight</b>	Unstable angina / MI	2.8.1	Parenteral anticoagulants	<b>Red</b>	Hospital only
<b>HIV/AIDS treatments</b>	HIV infection	5.3	Antiviral drugs	<b>Red</b>	Hospital only
<b>Homeopathy</b>	Various		Not included in BNF	<b>Double red</b>	Not recommended for routine use
<b>HRT implants</b>	Hormone replacement therapy	6.4.1.1	Oestrogens and HRT	<b>Double-Green</b>	GP prescribable without restriction
<b>Hyal G-F 20</b>	Intra-articular injection in osteoarthritis	10.1	Drugs used in rheumatic disease and gout	<b>Double red</b>	Not recommended for routine use
<b>Hyaluronate</b>	Intra-articular injection in osteoarthritis	10.1	Drugs used in rheumatic diseases and gout	<b>Double red</b>	Not recommended for routine use
<b>Ibandronic Acid, Ibandronate</b>	reduction of bone damage in bony metastases	6.6.2	Drugs affecting bone metabolism	<b>Amber</b>	Shared care
<b>Iloprost - nebulised</b>	Pulmonary hypertension		Not listed	<b>Red</b>	Hospital only
<b>Iloprost - nebulised</b>	Pulmonary hypertension		Not listed	<b>Special</b>	Special contract
<b>Imatinib</b>	Kit-positive unresectable and /or metastatic GIST	8.1.5	Other antineoplastic drugs	<b>Red</b>	Hospital only
<b>Imatinib</b>	CML	8.1.5	Other antineoplastic drugs	<b>Red</b>	Hospital only
<b>Imatinib</b>	Unlicensed indications	8.1.5	Other antineoplastic drugs	<b>Double red</b>	Not recommended for routine use
<b>Imiglucerase</b>	Gaucher's disease	9.8.1	Drugs used in metabolic disorders	<b>Red</b>	Hospital only
<b>Imiglucerase</b>	Gaucher's disease	9.8.1	Drugs used in metabolic disorders	<b>Special</b>	Special contract
<b>Immunoglobulins - intravenous</b>	Congenital agammaglobulinaemia	14.5	Immunoglobulins	<b>Red</b>	Hospital only
<b>Immunoglobulins - intravenous</b>	Congenital agammaglobulinaemia	14.5	Immunoglobulins	<b>Special</b>	Special contract
<b>Infertility drugs</b>	Infertility treatment	6.5.1	Hypothalamic and anterior pituitary hormones etc.	<b>Red</b>	Hospital only
<b>Infliximab</b>	Ankylosing spondilitis	10.1.3	Drugs which suppress the rheumatic disease process	<b>Red</b>	Hospital only
<b>Infliximab</b>	Behcet's Disease	10.1.3	Drugs which suppress the rheumatic disease process	<b>Double red</b>	Not recommended for routine use
<b>Infliximab</b>	Rheumatoid arthritis	10.1.3	Drugs which suppress the rheumatic process	<b>Red</b>	Hospital only

## Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>		<i>Traffic light</i>	
<b>Influenza vaccination</b>	Vaccination of non-target patients on the NHS	14.4		<b>Double red</b>	Not recommended for routine use
<b>Inhaled Insulin</b>	Type 1 and Type 2 Diabetes mellitus	6.1.1.1	Short acting insulins	<b>Double red</b>	Not recommended for routine use
<b>Inhaled steroids</b>	Children who wheeze with a cold	3.2	Corticosteroids	<b>Double red</b>	Not recommended for routine use
<b>Insulin</b>	Diabetes	6.1.1	Insulins	<b>Double-Green</b>	GP prescribable without restriction
<b>Insulin detemir</b>	Diabetes in adults (licensed) & children (not licensed <18 yrs)	6.1.1.2	Intermediate & long acting insulins	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Insulin glargine</b>	Diabetes mellitus	6.1.1.2	Long-acting insulin	<b>Double-Green</b>	GP prescribable without restriction
<b>Insulin pumps</b>	Diabetes	6.1.1	Insulins	<b>Red</b>	Hospital only
<b>Interferon alfa</b>	Renal cell carcinoma	8.2.4	Other immunomodulating drugs	<b>Double red</b>	Not recommended for routine use
<b>Interferon alfa</b>	Chronic myelogenous leukaemia	8.2.4	Other immunomodulating drugs	<b>Amber</b>	Shared care
<b>Interferon alfa</b>	In combination with ribavirin for Hepatitis C	8.2.4	Other immunomodulating drugs	<b>Red</b>	Hospital only
<b>Interferon alfa</b>	Adjunct to surgery in malignant melanoma	8.2.4	Other immunomodulating drugs	<b>Double red</b>	Not recommended for routine use
<b>Interferon beta 1a</b>	Multiple Sclerosis	8.2.4	Other immunomodulating drugs	<b>Red</b>	Hospital only
<b>Interferon beta 1b</b>	Multiple Sclerosis	8.2.4	Other immunomodulating drugs	<b>Red</b>	Hospital only
<b>Intra-uterine progestogen-only system</b>	Contraception, primary menorrhagia	7.3.2.3	Intra-uterine progestogen-only device	<b>Double-Green</b>	GP prescribable without restriction
<b>Irinotecan</b>	Colorectal cancer 2nd line	8.1.5	Topoisomerase I inhibitors	<b>Red</b>	Hospital only
<b>Iron sorbitol</b>	Iron deficiency anaemia	9.1.1.2	Parenteral iron	<b>Double-Green</b>	GP prescribable without restriction
<b>Isotretinoin</b>	Acne	13.6.2	Oral preparations for acne	<b>Red</b>	Hospital only
<b>Lamotrigine</b>	(relapse of) Bipolar Depression (as alternative to, or in addition to lithium)	4.8.1	Control of epilepsy	<b>Amber</b>	Shared care
<b>Lanreotide</b>	Carcinoid and other neuroendocrine tumours	8.3.4.3	Somatostatin analogues	<b>Amber</b>	Shared care
<b>Leflunomide</b>	Rheumatoid arthritis	10.1.3	Drugs which suppress the rheumatic disease process	<b>Amber</b>	Shared care
<b>Levonorgestrel 750 micrograms</b>	Post-coital contraception	7.3.1	Emergency contraception	<b>Double-Green</b>	GP prescribable without restriction
<b>Linezolid</b>	Pneumonia, complicated skin and soft tissue infections caused by G+ve bacteria	5.1.7	Some other antibacterials	<b>Red</b>	Hospital only
<b>Lisuride maleate</b>	Parkinsonism	4.9.1	Dopaminergic drugs used in parkinsonism	<b>Green</b>	GP prescribable at request of Consultant/Specialist

## Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>		<i>Traffic light</i>	
<b>Lithium</b>	Treatment and prophylaxis of mania, bipolar disorder, and recurrent depression (see also notes above); aggressive or self-mutilating behaviour	4.2.3	Antimanic drugs	<b>Amber</b>	Shared care
<b>Melatonin</b>	Management of sleep disorders			<b>Red</b>	Hospital only
<b>Meloxicam</b>	Osteoarthritis - short-term	10.1.1	Non-steroidal anti-inflammatory drugs	<b>Double-Green</b>	GP prescribable without restriction
<b>Memantine</b>	Moderate to severe dementia in Alzheimer's Disease	4.11	Drugs for dementia	<b>Double red</b>	Not recommended for routine use
<b>Methadone</b>	Substance dependence	4.10	Drugs used in substance dependence	<b>Amber</b>	Shared care
<b>Methotrexate</b>	Intramuscular use in RA	10.1.3	Drugs which suppress the rheumatic disease process	<b>Amber</b>	Shared care
<b>Methotrexate tablets</b>	Various - severe psoriasis; malignant disease; rheumatoid arthritis		Drug affecting the immune response	<b>Amber</b>	Shared care
<b>Methylphenidate</b>	ADHD	4.4	Central nervous system stimulants	<b>Amber</b>	Shared care
<b>Modafinil</b>	Narcolepsy	4.4	Central nervous system stimulants	<b>Amber</b>	Shared care
<b>Modafinil</b>	Excess sleepiness in Multiple Sclerosis and Parkinson's Disease	4.4	CNS Stimulants and other drugs for adh disorder	<b>Double red</b>	Not recommended for routine use
<b>Montelukast</b>	Prophylaxis of asthma - use in children	3.3.2	Leukotriene receptor antagonists	<b>Double-Green</b>	GP prescribable without restriction
<b>Montelukast</b>	Adults - Steps 3 and 4 of BTS guideline:	3.3.2	Leukotriene receptor antagonists	<b>Double-Green</b>	GP prescribable without restriction
<b>Moxifloxacin</b>	Respiratory infection	5.1.12	Quinolones	<b>Red</b>	Hospital only
<b>Mycophenolate</b>	Immunosuppression	8.2.1	Antiproliferative immunosuppressants	<b>Red</b>	Hospital only
<b>Mycophenolate</b>	Dermatology	8.2.1	Antiproliferative immunosuppressants	<b>Double red</b>	Not recommended for routine use
<b>Nabilone</b>	Pain and spasticity in Multiple Sclerosis	4.6	Drugs used in nausea and vertigo	<b>Double red</b>	Not recommended for routine use
<b>Naltrexone</b>	Use of a Low Dose in Multiple Sclerosis	4.10	Drugs used in substance dependence	<b>Double red</b>	Not recommended for routine use
<b>Nicotine Replacement Therapy</b>	Smoking cessation	4.10	Drugs used in substance dependence	<b>Double-Green</b>	GP prescribable without restriction
<b>Octreotide</b>	Reducing vomiting in terminal bowel obstruction	8.3.4.3	Somatostatin analogues	<b>Amber</b>	Shared care
<b>Octreotide</b>	Carcinoid and other neuroendocrine tumours	8.3.4.3	Somatostatin analogues	<b>Amber</b>	Shared care
<b>Octreotide - long-acting</b>	Use in a rare cancer	8.3.4.3	Somatostatin analogues	<b>Amber</b>	Shared care
<b>Olanzapine</b>	Schizophrenia - 1st line	4.2.1	Atypical antipsychotic drugs	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Olanzapine</b>	Maintenance in Bipolar Mania	4.2.1	Antipsychotic drugs	<b>Amber</b>	Shared care
<b>Omalizumab</b>	Poorly controlled asthma	3.3	As expected release early 2006	<b>Red</b>	Hospital only
<b>Omega-3-acid ethyl esters</b>	Adjunct in lowering triglycerides in secondary prevention of coronary heart disease	2.12	Lipid-regulating drugs (Fish oils)	<b>Double red</b>	Not recommended for routine use
<b>Ondansetron + other 5HT antagonists</b>	Chemotherapy induced nausea	4.6	Drugs used in nausea and vertigo	<b>Red</b>	Hospital only

## Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>	<i>Traffic light</i>
<b>Orlistat</b>	Obesity	4.5.1 Anti-obesity drugs acting on the GI tract	<b>Double-Green</b> GP prescribable without restriction
<b>Oseltamivir</b>	Prevention and treatment of ILI in at risk people during 'flu season	5.3 Antiviral drugs	<b>Double-Green</b> GP prescribable without restriction
<b>Oxaliplatin</b>	Colorectal cancer	8.1.5 Other antineoplastic drugs	<b>Red</b> Hospital only
<b>Oxcarbazepine</b>	Epilepsy	4.8.1 Control of epilepsy	<b>Green</b> GP prescribable at request of Consultant/Specialist
<b>Oxygen</b>	Cluster headaches or migraine	3.6 Oxygen	<b>Double red</b> Not recommended for routine use
<b>Oxygen</b>	Long-term therapy	3.6 Oxygen	<b>Amber</b> Shared care
<b>Oxygen conserver</b>	For portable oxygen consumption	3.6 Oxygen	<b>Red</b> Hospital only
<b>Paclitaxel</b>	Ovarian cancer	8.1.5 Other antineoplastic drugs	<b>Red</b> Hospital only
<b>Paclitaxel</b>	Advanced breast cancer	8.1.5 Other antineoplastic drugs	<b>Red</b> Hospital only
<b>Paclitaxel</b>	Non-small cell lung cancer	8.1.5 Other antineoplastic drugs	<b>Red</b> Hospital only
<b>Palivizumab</b>	Prevention of Respiratory Syncytial Virus (RSV) in infants	5.3 Antiviral drugs	<b>Double red</b> Not recommended for routine use
<b>Peginterferon alfa</b>	Treatment of hepatitis C	8.2.4 Other immunomodulating drugs	<b>Red</b> Hospital only
<b>Pimecrolimus 1%</b>	Option for 2nd line treatment of moderate atopic eczema on the face and neck in children aged 2 to 16 years not controlled by topical steroids or where there is serious risk of important ADRs from further use of topical steroids	13.5.3 Drug affecting the immune response	<b>Green</b> GP prescribable at request of Consultant/Specialist
<b>Pioglitazone</b>	In combination for type 2 diabetes	6.1.2.3 Other antidiabetics	<b>Double-Green</b> GP prescribable without restriction
<b>Pregabalin</b>	Control of epilepsy	4.8.1 Control of epilepsy	<b>Green</b> GP prescribable at request of Consultant/Specialist
<b>Pregabalin</b>	Peripheral neuropathic pain in adults	4.7.3 Neuropathic Pain	<b>Double-Green</b> GP prescribable without restriction
<b>Progest cream</b>	Hormone replacement therapy	Not listed	<b>Double red</b> Not recommended for routine use
<b>Proton pump inhibitors</b>	Dyspepsia	1.3.5 Proton pump inhibitors	<b>Double-Green</b> GP prescribable without restriction
<b>Quetiapine</b>	Schizophrenia - 1st line	4.2.1 Atypical antipsychotic drugs	<b>Green</b> GP prescribable at request of Consultant/Specialist
<b>Raloxifene</b>	Prevention of osteoporosis	6.4.1 Female sex hormones	<b>Double-Green</b> GP prescribable without restriction
<b>Raltitrexed</b>	Colorectal cancer	8.1.3 Antimetabolites	<b>Double red</b> Not recommended for routine use
<b>Rasagiline</b>	Idiopathic Parkinson's Disease	4.9.1 Dopaminergic drugs used in Parkinsonism	<b>Double red</b> Not recommended for routine use
<b>Ribavirin</b>	Chronic hepatitis C	5.3 Antiviral drugs	<b>Red</b> Hospital only
<b>Riluzole</b>	Amyotrophic Lateral Sclerosis (Motor Neurone Disease)	4.9.3 Drugs used in essential tremor, chorea, tics etc.	<b>Red</b> Hospital only

## Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>		<i>Traffic light</i>	
<b>Risperidone</b>	Attention Deficit Hyperactivity Disorder (ADHD)	4.2.1	Antipsychotic drugs	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Risperidone (Depot)</b>	Schizophrenia and other psychoses in patients tolerant to risperidone by mouth	4.2.2	Antipsychotic depot injections	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Rituximab</b>	Follicular non-Hodgkin's lymphoma	8.2.3	Rituximab and alemtuzumab	<b>Red</b>	Hospital only
<b>Rituximab</b>	Aggressive non-Hodgkin's lymphoma	8.2.3	Rituximab and alemtuzumab	<b>Red</b>	Hospital only
<b>Rivastigmine</b>	Mild to moderate Alzheimer's dementia	4.11	Drugs for dementia	<b>Amber</b>	Shared care
<b>Ropinirole</b>	Parkinson's Disease	4.9.1	Dopaminergic drugs used in parkinsonism	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Rosiglitazone</b>	In combination for type 2 diabetes	6.1.2.3	Other antidiabetics	<b>Double-Green</b>	GP prescribable without restriction
<b>Rosiglitazone / Metformin</b>	Type 2 diabetes mellitus	6.1.2.3	Oral antidiabetic drugs	<b>Double-Green</b>	GP prescribable without restriction
<b>Salmeterol / Fluticasone combined inhaler</b>	COPD	3.2	(Inhaled) Corticosteroids	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Second-line drugs</b>	Rheumatoid arthritis	10.1.3	Drugs which suppress the rheumatic disease process	<b>Amber</b>	Shared care
<b>Seretide</b>	Prophylactic treatment of asthma	3.2	(Inhaled) Corticosteroids	<b>Double-Green</b>	GP prescribable without restriction
<b>Sevelamer</b>	Hyperphosphataemia in chronic renal failure in patients on haemodialysis	9.5.2.2	Phosphate-binding agents	<b>Green</b>	GP prescribable at request of Consultant/Specialist
<b>Sibutramine</b>	Obesity	4.5.2	Centrally acting appetite suppressants	<b>Double-Green</b>	GP prescribable without restriction
<b>Sildenafil</b>	Erectile dysfunction - limited categories	7.4.5	Drugs for impotence	<b>Double-Green</b>	GP prescribable without restriction
<b>Sildenafil</b>	Severe distress from erectile dysfunction seeking treatment on the NHS	7.4.5	Drugs for impotence	<b>Red</b>	Hospital only
<b>Silicone gel sheet dressing</b>	Reduce and prevent hypertrophic and keloid scarring	8.1.4	Hydrocolloid dressing	<b>Double red</b>	Not recommended for routine use
<b>Sirolimus</b>	Immunosuppression in renal transplantation	8.2.2	Corticosteroids and other immunosuppressants	<b>Red</b>	Hospital only
<b>Somatropin</b>	Growth disturbance in children born small for gestational age	6.5.1	Hypothalamic & anterior pituitary hormones etc	<b>Red</b>	Hospital only
<b>Somatropin (Growth hormone)</b>	Adults: Profound growth hormone deficiency	6.5.1	Hypothalamic & anterior pituitary hormones etc.	<b>Red</b>	Hospital only
<b>Somatropin (Growth hormone)</b>	Children with growth failure	6.5.1	Hypothalamic & anterior pituitary hormones etc.	<b>Red</b>	Hospital only
<b>SSRI antidepressants</b>	Use for depression in children	4.3.3	Selective serotonin re-uptake inhibitors	<b>Amber</b>	Shared care
<b>Statins</b>	Prevention of coronary events in patients with Type II diabetes	2.12	Lipid-regulating drugs	<b>Double-Green</b>	GP prescribable without restriction
<b>Strontium Ranelate</b>	Secondary prevention of post menopausal osteoporosis in patients who are intolerant to bisphosphonates or in who this treatment had failed.	6.6.2	Postmenopausal Osteoporosis	<b>Double-Green</b>	GP prescribable without restriction

## Index of TAG recommendations

<i>Generic name</i>	<i>Indication</i>	<i>BNF class</i>	<i>Traffic light</i>
<b>Tacrolimus</b>	Renal transplantation	8.2.2 Corticosteroids and other immunosuppressants	<b>Amber</b> Shared care
<b>Tacrolimus 0.03%</b>	Option for 2nd line treatment of moderate to severe atopic eczema in adults and children over 2 years not controlled by topical steroids where there is serious risk of important ADRs further topical steroid use.	13.5.3 Affecting immune response for eczema & psoriasis	<b>Green</b> GP prescribable at request of Consultant/Specialist
<b>Teicoplanin</b>	Intramuscular treatment at home	5.1.7 Some other antibacterials	<b>Green</b> GP prescribable at request of Consultant/Specialist
<b>Teicoplanin</b>	Intravenous treatment at home	5.1.7 Some other antibacterials	<b>Red</b> Hospital only
<b>Temozolomide</b>	Malignant glioma (brain cancer)	8.1.5 Other antineoplastic drugs	<b>Red</b> Hospital only
<b>Teriparatide</b>	Treatment of severe postmenopausal osteoporosis	6.6.1 Drugs affecting bone metabolism	<b>Red</b> Hospital only
<b>Testosterone patches</b>	Androgen deficiency	6.4.2 Male sex hormones and antagonists	<b>Green</b> GP prescribable at request of Consultant/Specialist
<b>Tiotropium</b>	Maintenance treatment of Chronic Obstructive Pulmonary Disease	3.1.2 Antimuscarinic bronchodilators	<b>Double-Green</b> GP prescribable without restriction
<b>Tirofiban</b>	Prevention of MI in unstable angina	2.9 Antiplatelet drugs	<b>Red</b> Hospital only
<b>Tobramycin (nebulised)</b>	Cystic fibrosis	5.1.4 Aminoglycosides	<b>Amber</b> Shared care
<b>Topotecan</b>	Advanced ovarian cancer	8.1.5 Topoisomerase I inhibitors	<b>Red</b> Hospital only
<b>Total parenteral nutrition</b>	Various	9.3 Intravenous nutrition	<b>Red</b> Hospital only
<b>Total parenteral nutrition</b>	Various	9.3 Intravenous nutrition	<b>Special</b> Special contract
<b>Trastuzumab</b>	Advanced breast cancer	8.1.5 Other antineoplastic drugs	<b>Red</b> Hospital only
<b>Unlicensed drugs</b>	All	Not listed	<b>Red</b> Hospital only
<b>Various drugs for erectile dysfunction</b>	Severe distress from erectile dysfunction seeking treatment on the NHS	7.4.5 Drugs for erectile dysfunction	<b>Red</b> Hospital only
<b>Various drugs for erectile dysfunction</b>	Erectile dysfunction - limited categories of patients	7.4.5 Drugs for impotence	<b>Double-Green</b> GP prescribable without restriction
<b>Vinorelbine</b>	Non-small cell lung cancer	8.1.5 Other antineoplastic drugs	<b>Red</b> Hospital only
<b>Warfarin</b>	Various	2.8.2 Oral anticoagulants	<b>Double-Green</b> GP prescribable without restriction
<b>Yasmin</b>	Contraception	7.3.1 Standard strength combined hormonal contraceptive	<b>Double red</b> Not recommended for routine use
<b>Zanamivir</b>	Treatment of influenza A or B within 48 hrs of onset	5.3 Antiviral drugs	<b>Double-Green</b> GP prescribable without restriction